

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application:

**LISTING OF CLAIMS:**

1. (Original) A vehicle glazing comprising  
a pane of tinted glass,  
said glass having a colourant portion including 1.0 to 1.8% (by weight of the glass) of total iron (calculated as  $\text{Fe}_2\text{O}_3$ ), 100 to 270 ppm by weight of cobalt oxide (calculated as  $\text{Co}_3\text{O}_4$ ) and selenium (calculated as Se) in an amount less than 20 ppm by weight, and a low emissivity coating on the interior surface of the pane.
2. (Original) A vehicle glazing as claimed in claim 1 wherein the coating has an emissivity in the range from 0.05 to 0.45.
3. (Currently Amended) A vehicle glazing as claimed in claim 1 ~~or claim 2~~ wherein the coating includes a transparent conductive oxide.
4. (Original) A vehicle glazing as claimed in claim 3 wherein the coating further includes a dopant.
5. (Currently Amended) A vehicle glazing as claimed in claim 1 ~~or claim 2~~ wherein the coating includes a metal layer and at least one dielectric layer.

6. (Currently Amended) A vehicle glazing as claimed in ~~any preceding claim~~ claim 1 wherein the pane of tinted glass is toughened glass.

7. (Currently Amended) A vehicle glazing as claimed in ~~any preceding claim~~ claim 1 wherein the pane of tinted glass has a thickness in the range from 1.5 mm to 8 mm.

8. (Currently Amended) A vehicle glazing as claimed in ~~any preceding claim~~ claim 1 wherein the pane of tinted glass includes 0.05 to 1.6% by weight of ferrous oxide (calculated as FeO).

9. (Currently Amended) A vehicle glazing as claimed in ~~any preceding claim~~ claim 1 wherein the pane of tinted glass includes up to 500 ppm by weight of nickel oxide (calculated as NiO).

10. (Currently Amended) A vehicle glazing as claimed in ~~any preceding claim~~ claim 1 having a visible light transmission of 50% or less and a transmitted energy of 30% or less.

11. (Original) A laminated glazing, for use in a vehicle, comprising two plies of glass with a sheet of interlayer laminated therebetween, wherein at least one ply of glass or the sheet of interlayer material is body tinted, and a low emissivity coating on the interior surface of the glazing.

12. (Original) A laminated glazing as claimed in claim 11 comprising  
a ply of tinted glass,  
said glass having a colourant portion including 0.5 to 4.0% (by weight of the glass)  
of total iron (calculated as  $\text{Fe}_2\text{O}_3$ ),  
a further ply of glass and a sheet of interlayer material laminated therebetween,  
and a low emissivity coating on the interior surface of the glazing.

13. (Original) A laminated glazing according to claim 11 comprising  
an outer ply of glass, an inner ply of glass and a sheet of body-tinted interlayer  
material laminated therebetween, and  
a low emissivity coating on the interior surface of the glazing.

14. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 13~~  
claim 11 wherein the glazing has a thickness in the range from 3 mm to 10 mm.

15. (Original) A laminated glazing as claimed in claim 14 wherein each ply has a  
thickness in the range from 1.5 mm to 5 mm.

16. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 15~~  
claim 11 wherein the sheet of interlayer material is transparent and comprises  
polyvinylbutyral.

17. (Original) A laminated glazing as claimed in claim 16 wherein the sheet of  
interlayer material is tinted to have a visible light transmission of 35% or less.

18. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 17~~ claim 11 wherein the sheet of interlayer material is tinted to have a visible light transmission of 35% or less and a transmitted energy of 25% or less at a thickness of 0.76 mm.

19. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 17~~ claim 11 wherein the sheet of interlayer material is infra-red absorbing.

20. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 19~~ claim 11 wherein at least one ply of glass is clear glass.

21. (Currently Amended) A laminated glazing as claimed in ~~any of claim 12 and claims 14 to 19 as dependent on~~ claim 12 wherein the further ply of glass is tinted glass which has a colourant portion including 0.5 to 4.0% (by weight of the glass) of total iron (calculated as  $\text{Fe}_2\text{O}_3$ ), 0.05 to 1.6% by weight of ferrous oxide (calculated as  $\text{FeO}$ ), 5 to 350 ppm by weight of cobalt oxide (calculated as  $\text{Co}_3\text{O}_4$ ), a visible light transmission of 75% or less and a transmitted energy of 45% or less at 2.1 mm.

22. (Currently Amended) A laminated glazing as claimed in ~~any or claim 12 and claims 14 to 19 as dependent on~~ claim 12 wherein the further ply of glass is tinted glass which has a colourant portion including 0.4 to 4.0% (by weight of the glass) of total iron (calculated as  $\text{Fe}_2\text{O}_3$ ), 0.05 to 1.6% by weight of ferrous oxide (calculated

as Fe), a visible light transmission of 88% or less and a transmitted energy of 72% or less at 2.1 mm.

23. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 22~~ claim 11 having a visible light transmission of 35% or less and a transmitted energy of 20% or less.

24. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 22~~ claim 11 having a visible light transmission of 70% or more and an transmitted energy of 60% or less.

25. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 24~~ claim 1 wherein at least one ply of glass is clear glass, or tinted glass having a colourant portion comprising 0.4 to 4.0% (by weight of the glass) of total iron (calculated as  $\text{Fe}_2\text{O}_3$ ) and 0.05 to 1.6% by weight of ferrous oxide (calculated as  $\text{FeO}$ ).

26. (Currently Amended) A laminated glazing as claimed in ~~any of claims 11 to 25~~ claim 11 having a visible light transmission of 50% or less and a transmitted energy of 30% or less.

27. (Currently Amended) Use of a glazing as claimed in ~~any of the preceding claims~~ claim 1 as a roof glazing.

28. (Currently Amended) Use of a laminated glazing as claimed in claim 11, ~~12 or 13~~ as a windscreen.

29. (Currently Amended) A laminated vehicle roof glazing, being a glazing as claimed in claim 11, comprising an outer ply of tinted glass and inner ply or clear glass carrying a low emissivity coating[~~(. )~~].

30. (Original) A laminated vehicle roof glazing, being a glazing as claimed in claim 11, wherein the sheet of interlayer materials is body tinted.

31. (Currently Amended) A laminated vehicle roof glazing as claimed in claim 29 ~~or claim 30~~ wherein the low emissivity coating is a pyrolytic coating[~~(. )~~].

32. (Currently Amended) A laminated vehicle roof glazing as claimed in ~~any of claims 29 to 31~~ claim 29 having a visible light transmission of at least 15% and a total solar heat transmission not greater than 15% greater than its light transmission.

33. (Canceled)

34. (Canceled)